Index to Volume 27

Author Index

ALLEN, GERALD R.:
Amphiprion leucokranos, a new species of pomacentrid fish, with notes on other anemonefishes of New Guinea, 319–326

BOESCH, DONALD F.:
Three new tanaids (Crustacea, Tanaidacea) from southern Queensland, 168–188
BRUSCA, GARY J.:
Pelagic Amphipoda from the waters near Oahu, Hawaii, excluding the family Scinidae, 8–27

CAPERON, JOHN:
see Krasnick and Caperon
CLARK, W. C.:
New species of Pycnogonida from New Britain and Tonga, 28–33

DODGE, C. W.:
see Fineran and Dodge
DOMM, A. J.:
see Domm and Domm
DOMM, S. B., and A. J. DOMM:
The sequence of appearance at dawn and disappearance at dusk of some coral reef fishes, 128–135

FINERAN, B. A., and C. W. DODGE:
Lichens from the Southern Alps, New Zealand. II, Records from the Mt. Cook district, 274–280
FISHER, HARVEY I.:
Pollutants in North Pacific albatrosses, 220–225

GALLAGHER, BRENT:
Tides and circulation in a series of saline lakes at Christmas Island, 197–206

HALEY, S. R.
On the use of morphometric data as a guide to reproductive maturity in the ghost crab, *Ocypode ceratophthalmus* (Pallas) (Brachyura, Ocypodidae), 350–362
HELFMAN, GENE S., and JOHN E. RANDALL:
Palauan fish names, 136–153
see also Randall and Helfman
HIRATA, DAVID N.:
see Lindsey, Nass, Hood, and Hirata
HOOD, GLENN A.:
see Lindsey, Nass, Hood, and Hirata

KOBAYASHI, HERBERT K.:
Putative generic hybrids of Haleakala's silversword and kupaoa (*Argyroxiphium sandwicense* × *Dubautia menziesii*) Compositae, 207–208
KRASNICK, GEORGE, and JOHN CAPERON:
Primary productivity in a nutrient-limited tropical estuary, 189–196

LINDSEY, D., ROGER D. NASS, GLENN A. HOOD, and DAVID N. HIRATA:
Movement patterns of Polynesian rats (*Rattus exulans*) in sugarcane, 239–246
LITTLER, MARK M.:
The distribution, abundance, and communities of deepwater Hawaiian crustose Corallinaceae (Rhodophyta, Cryptonemiales), 281–289

MCCAULEY, JAMES E.:
see Sumich and McCauley
MACDONALD, GORDON A.:
Geological prospects for development of geothermal energy in Hawaii, 209–219
MONTGOMERY, R. B.
Pacific Ocean equatorial temperature and wind, 406–408

NASS, ROGER D.:
see Lindsey, Nass, Hood, and Hirata

PAIJMANS, K.:
Plant succession on Pago and Witori volcanoes, New Britain, 260–268

RANDALL, JOHN E.
see Helfman and Randall
see Randall and Helfman
see Randall and Swerdloff
RANDALL, JOHN E., and GENE S. HELFMAN:
Attacks on humans by the blacktip reef shark, 226–238
see also Helfman and Randall
RANDALL, JOHN E., and STANLEY N. SWERDLOFF
A review of the damselfish genus *Chromis* from the Hawaiian Islands, with descriptions of three new species, 327–349

ST. JOHN, HAROLD:
A new living species of *Gouania* (Rhamnaceae) on Oahu, Hawaiian Islands. Hawaiian Plant Studies 40, 269–273
Revision of the genus *Pandanus* Stickman. Part 35, Additional *Pandanus* species from New Guinea, 44–91
SEALY, SPENCER G.:
Breeding biology of the Horned Puffin on St. Lawrence Island, Bering Sea, with zoogeographical notes on the North Pacific puffins, 99–119

SIEBERT, ARTHUR E., JR.
A description of the sea anemone *Stomphia didemon* sp. nov. and its development, 363–376
SOHMER, S. H.
A preliminary report of the biology of the genus *Charpentiera* (Amaranthaceae), 399–405
SUMICH, JAMES L., and JAMES E. MCCAULEY:
Growth of a sea urchin, *Allocentrotus fragilis*, off the Oregon coast, 156–167
SWERDLOFF, STANLEY N.
see Randall and Swerdloff

TAYLOR, WM. RANDOLPH:
Marine algae of the Smithsonian-Bredin Expedition to the Society and Tuamotu islands, 37–43
A new *Halimeda* (Chlorophyceae, Codiaceae) from the Philippines, 34–36
TWIBELL, JOHN:
The ecology of rodents in the Tonga Islands, 92–98

VALENCIA, MARK J.:
Calcium carbonate and gross-size analysis of surface sediments, western equatorial Pacific, 290–303

WASS, RICHARD C.
Size, growth, and reproduction of the sandbar shark, *Carcharhinus milberti*, in Hawaii, 305–318
WEBER, JON N.
Generic diversity of scleractinian reef corals in the central Solomon Islands, 391–398
Reef corals and coral reefs in the vicinity of Port Moresby, south coast of Papua New Guinea, 377–390
WIJSMAN-BEST, MAYA:
A new species of the Pacific coral genus *Blastomussa*, from New Caledonia, 154–155
WILLIAMS, J. MORGAN:
The ecology of *Rattus exulans* (Peale) reviewed, 120–127

YOUNG, RICHARD EDWARD:
Information feedback from photophores and ventral countershading in mid-water squid, 1–7

ZIMMERMAN, STEVEN T.:
The transformation of energy by *Lucifer chacei* (Crustacea, Decapoda), 247–259

Subject Index

Abraliopsis sp., information feedback from photophores and ventral countershading in, 1–7
Actiniaria
description of the sea anemone *Stomphia didemon* sp. nov. and its development, 363–376
Albatrosses, pollutants in North Pacific, 220–225
Allocentrotus fragilis, growth of, off the Oregon coast, 156–167
Amphiprion leucokranos sp. nov., 319–326
Angiospermae
new living species of *Gouania* (Rhamnaceae) on Oahu, Hawaiian Islands. Hawaiian Plant Studies 40, 269–273
plant succession on Pago and Witori volcanoes, New Britain, 260–268
preliminary report of the biology of the genus *Charpentiera* (Amaranthaceae), 399–405
putative generic hybrids of Haleakala's silversword and kupaoa (*Argyroxiphium sandwicense* × *Dubautia menziesii*) Compositae, 207–208
revision of the genus *Pandanus* Stickman. Part 35, additional *Pandanus* species from New Guinea, 44–91
Anoplodactylus squalida n. sp., 28–33
Anthozoa
generic diversity of scleractinian reef corals in the central Solomon Islands, 391–398
new species of the Pacific coral genus *Blastomussa* from New Caledonia, 154–155
reef corals and coral reefs in the vicinity of Port Moresby, south coast of Papua New Guinea, 377–390
Apseudes caeruleus n. sp., 168–188
Apseudes estuarius n. sp., 168–188
Argyroxiphium sandwicense, 207–208
Australia
coral reef fishes of, sequence of appearance at dawn and disappearance at dusk of, 128–135
three new tanaids from southern Queensland, 168–188
Aves
breeding biology of the Horned Puffin on St. Lawrence Island, Bering Sea, with zoogeographical notes on the North Pacific puffins, 99–119
pollutants in North Pacific albatrosses, 220–225

Blacktip reef shark, attacks on humans by, 226–238
Blastomussa wellsi sp. n., 154–155

Canton Island, Pacific Ocean equatorial temperature and wind at, 406–408
Carcharhinus melanopterus, attacks on humans by, 226–238
Carcharhinus milberti, size, growth, and reproduction of, in Hawaii, 305–318
Cephalopoda
information feedback from photophores and ventral countershading in mid-water squid, 1–7
Charpentiera, a preliminary report of the biology of the genus, 399–405
Chlorophyceae
marine algae of the Smithsonian-Bredin Expedition to the Society and Tuamotu islands, 37–43
new *Halimeda* from the Philippines, 34–36

Christmas Island
tides and circulation in a series of saline lakes at, 197–206
Chromis, a review of, 327–349
Chromis acares n. sp., 327–349
Chromis hanui n. sp., 327–349
Chromis struhsakeri n. sp., 327–349
Crustacea
on the use of morphometric data as a guide to reproductive maturity in the ghost crab, *Ocypode ceratophthalmus* (Pallas) (Brachyura, Ocypodidae), 350–362
pelagic Amphipoda from the waters near Oahu, Hawaii, excluding the family Scinidae, 8–27
three new tanaids from southern Queensland, 168–188
transformation of energy by *Lucifer chacei*, 247–259

Damselfish genus, a review of the, 327–349
Dubautia menziesii, 207–208

Echinoidea
growth of a sea urchin, *Allocentrotus fragilis*, off the Oregon coast, 156–167

Filicineae
plant succession on Pago and Witori volcanoes, New Britain, 260–268
Fratercula corniculata, breeding biology of, on St. Lawrence Island, 99–119

Galeatistigma sect. nov., 44–91
Geothermal energy, prospects for development of, in Hawaii, 209–219
Ghost crab, on the use of morphometric data as a guide to reproductive maturity in the, 350–362
Gouania Gagnei sp. nov., 269–273

Halimeda batanensis n. sp., 34–36
Hawaiian Islands
distribution, abundance, and communities of deep-water Hawaiian crustose Corallinaceae (Rhodophyta, Cryptonemiales), 281–289
geological prospects for development of geothermal energy in Hawaii, 209–219
new living species of *Gouania* (Rhamnaceae) on Oahu. Hawaiian Plant Studies 40, 269–273
pelagic Amphipoda from waters near Oahu, excluding the family Scinidae, 8–27
putative generic hybrids of Haleakala's silversword and kupaoa Compositae, 207–208
review of the damselfish genus *Chromis* from the, with descriptions of three new species, 327–349
size, growth, and reproduction of the sandbar shark, *Carcharhinus milberti*, in, 305–318
Hawaiian Plant Studies
40. A new living species of *Gouania* (Rhamnaceae) on Oahu, Hawaiian Islands, 269–273

Key
to the genera *Rhabdosoma*, *Calamorhynchus*, *Oxycephalus*, and *Streetsia*, 21
to the species of *Chromis* from the Hawaiian Islands, 328–329

Lichenes
Lichens from the Southern Alps, New Zealand. II, Records from the Mt. Cook district, 274–280
Liniobtutus sect. nov., 44–91
Lucifer chacei, transformation of energy by, 247–259
Lycopodineae
Plant succession on Pago and Witori volcanoes, New Britain, 260–268

Mammalia
ecology of *Rattus exulans* (Peale) reviewed, 120–127
ecology of rodents in the Tonga Islands, 92–98
movement patterns of Polynesian rats (*Rattus exulans*) in sugarcane, 239–246
Morphometric data, on the use of, as a guide to reproductive maturity in *Ocypode ceratophthalmus*, 350–362

New Britain
new species of Pycnogonida from, 28–33
plant succession on Pago and Witori volcanoes, 260–268
New Caledonia, new species of the Pacific coral genus *Blastomussa* from, 154–155
New Guinea
additional *Pandanus* species from, 44–91
Amphiprion leucokranos, a new species of pomacentrid fish, with notes on other anemone fishes of, 319–326
reef corals and coral reefs in the vicinity of Port Moresby, 377–390
New section
Galeatistigma (Angiospermae), 44–91
Liniobtutus (Angiospermae), 44–91
New species
Amphiprion leucokranos (Pisces), 319–326
Anoplodactylus squalida (Pycnogonida), 28–33
Apseudes caeruleus (Crustacea), 168–188
Apseudes estuarius (Crustacea), 168–188
Blastomussa wellsi (Anthozoa), 154–155
Chromis acares (Pisces), 327–349
Chromis hanui (Pisces), 327–349
Chromis struhsakeri (Pisces), 327–349
Gouania Gagnei (Rhamnaceae), 269–273
Halimeda batanensis (Chlorophyceae), 34–36
Pallenopsis tongaensis (Pycnogonida), 28–33
Pandanus acicularis (Angiospermae), 44–91
Pandanus alatus (Angiospermae), 44–91
Pandanus antaresensis (Angiospermae), 44–91
Pandanus aprilensis (Angiospermae), 44–91
Pandanus arcuatus (Angiospermae), 44–91
Pandanus biciliatus (Angiospermae), 44–91
Pandanus biformatus (Angiospermae), 44–91
Pandanus clausus (Angiospermae), 44–91
Pandanus concavus (Angiospermae), 44–91
Pandanus congregatus (Angiospermae), 44–91
Pandanus daymanensis (Angiospermae), 44–91
Pandanus galeatus (Angiospermae), 44–91
Pandanus Hooglandii (Angiospermae), 44–91
Pandanus luteus (Angiospermae), 44–91
Pandanus marinus (Angiospermae), 44–91

New species (*cont.*)
Pandanus pentagonos (Angiospermae), 44–91
Pandanus vogelensis (Angiospermae), 44–91
Stomphia didemon (Actiniaria), 363–376
Whiteleggia stephensoni (Crustacea), 168–188

Ocypode ceratophthalmus, on the use of morphometric data as a guide to reproductive maturity in, 350–362
Oregon, growth of a sea urchin off the coast of, 156–167

Palau Islands, fish names of, 136–153
Pallenopsis tongaensis n. sp., 28–33
Pandanus acicularis sp. nov., 44–91
Pandanus alatus sp. nov., 44–91
Pandanus antaresensis sp. nov., 44–91
Pandanus aprilensis sp. nov., 44–91
Pandanus arcuatus sp. nov., 44–91
Pandanus biciliatus sp. nov., 44–91
Pandanus biformatus sp. nov., 44–91
Pandanus clausus sp. nov., 44–91
Pandanus concavus sp. nov., 44–91
Pandanus congregatus sp. nov., 44–91
Pandanus daymanensis sp. nov., 44–91
Pandanus galeatus sp. nov., 44–91
Pandanus Hooglandii sp. nov., 44–91
Pandanus luteus sp. nov., 44–91
Pandanus marinus sp. nov., 44–91
Pandanus pentagonos sp. nov., 44–91
Pandanus vogelensis sp. nov., 44–91
Phaeophyceae
marine algae of the Smithsonian-Bredin Expedition to the Society and Tuamotu islands, 37–43
Philippine Islands, new *Halimeda* from Batan Island, 34–36
Pisces
Amphiprion leucokranos, a new species of pomacentrid fish, with notes on other anemonefishes of New Guinea, 319–326
attacks on humans by the blacktip reef shark (*Carcharhinus melanopterus*), 226–238
Palauan fish names, 136–153
review of the damselfish genus *Chromis* from the Hawaiian Islands, with descriptions of three new species, 327–349
sequence of appearance at dawn and disappearance at dusk of some coral reef fishes, 136–153
size, growth, and reproduction of the sandbar shark, *Carcharhinus milberti*, in Hawaii, 305–318
Polynesian rat
ecology of, reviewed, 120–127
ecology of, in the Tonga Islands, 92–98
movement patterns of, in sugarcane, 239–246
Productivity, primary, in a nutrient-limited tropical estuary, 189–196
Puffin, Horned, on St. Lawrence Island, 99–119
Puffins, North Pacific, zoogeographical notes on, 99–119
Pycnogonida
Anoplodactylus squalida n. sp., 28–33
Pallenopsis tongaensis n. sp., 28–33

Rattus exulans
ecology of, reviewed, 120–127
ecology of, in the Tonga Islands, 92–98
movement patterns of, in sugarcane, 239–246
Revision of the genus *Pandanus* Stickman
35. Additional *Pandanus* species from New Guinea, 44–91
Rhodophyceae
marine algae of the Smithsonian-Bredin Expedition to the Society and Tuamotu islands, 37–43
distribution, abundance, and communities of deep-water Hawaiian crustose Corallinaceae, 281–289

Samoa, primary productivity in Pala Lagoon, Tutuila Island, 189–196
Sandbar shark, size, growth, and reproduction of, in Hawaii, 305–318
Society Islands, marine algae of the Smithsonian-Bredin Expedition to, 37–43
Solomon Islands, generic diversity of scleractinian reef corals in the, 391–398
Stomphia didemon sp. nov., 363–376
Surface sediments in western equatorial Pacific, calcium carbonate and gross-size analysis of, 290–303

Tonga Islands
ecology of rodents in, 92–98
new species of Pycnogonida from, 28–33
Tuamotu Islands, marine algae of the Smithsonian-Bredin Expedition to the, 37–43

Whiteleggia stephensoni n. sp., 168–188